according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878

Article No.: 17302036 2-K Epoxid-Grundweiß Basis EPW 1

 Print date:
 17.07.2024
 Revision date: 17.02.2023
 EN

 Version:
 30.1
 Issue date: 17.02.2023
 Page 1/8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. product identifiers

Article No. (manufacturer/supplier) 57851 Kroschke sign-international GmbH, vertrieb@kroschke.com

Trade name/designation 2-K Epoxid-Grundweiß, Komp. A

EPWT 0200

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

coating material, solvent based, use acc. to technical data sheet

1.3. Details of the supplier of the safety data sheet

supplier (manufacturer/importer/downstream user/distributor)

Corroconsult GmbH

Elstorfer Ring 70 Telefon: +49 (0) 40 27861277 D-21149 Hamburg E-mail: office@corroconsult.de

Department responsible for information:

laboratory

E-mail (competent person) lab@wilckens.com

1.4. Emergency telephone number

Emergency telephone number +49 4124 606 188

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Skin Irrit. 2 / H315 Skin corrosion/irritation Causes skin irritation.

Eye Irrit. 2 / H319 Serious eye damage/eye irritation Causes serious eye irritation.

Skin Sens. 1 / H317 Respiratory or skin sensitisation May cause an allergic skin reaction.

Aquatic Chronic 2 / H411 Hazardous to the aquatic environment Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms





Warning

Hazard statements

H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves and eye/face protection.

Hazard components for labelling

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane; (epoxy resin MW < 700) Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenolBPFDGE

Supplemental hazard information

EUH205 Contains epoxy constituents. May produce an allergic reaction.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description epoxycoat

Classification according to Regulation (EC) No 1272/2008 [CLP]

EC No. REACH No. Weight-%

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878

Article No.: 17302036 2-K Epoxid-Grundweiß Basis EPW 1

 Print date:
 17.07.2024
 Revision date: 17.02.2023
 EN

 Version:
 30.1
 Issue date: 17.02.2023
 Page 2 / 8

Index No.	classification // Remark	
216-823-5	01-2119456619-26-XXXX	
1675-54-3 603-073-00-2	2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane; (epoxy resin MW < 700) Skin Irrit. 2 H315 / Eye Irrit. 2 H319 / Skin Sens. 1B H317 / Aquatic Chronic 2 H411	70 < 80
701-263-0	01-2119454392-40-XXXX Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenoIBPFDGE Skin Irrit. 2 H315 / Skin Sens. 1 H317 / Aquatic Chronic 2 H411	30 < 40

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures
Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878

Article No.: 17302036 2-K Epoxid-Grundweiß Basis EPW 1

 Print date:
 17.07.2024
 Revision date: 17.02.2023
 EN

 Version:
 30.1
 Issue date: 17.02.2023
 Page 3 / 8

for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Further information

Vapours are heavier than air. Vapours form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

not applicable

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878

Article No.: 17302036 2-K Epoxid-Grundweiß Basis EPW 1

 Print date:
 17.07.2024
 Revision date: 17.02.2023
 EN

 Version:
 30.1
 Issue date: 17.02.2023
 Page 4 / 8

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid

Colour: refer to label
Odour: characteristic
Odour threshold: not applicable
Melting point/freezing point: not applicable
Initial boiling point and boiling range: not applicable
Flammability: Flammable solid.

Lower and upper explosion limit:

Lower explosion limit: not applicable Upper explosion limit: not applicable

Flash point: 99 °C

Method: DIN 53213-1

Auto-ignition temperature: not applicable

Decomposition temperature: not applicable

pH at 20 °C: not applicable Viscosity at 20 °C: 6000-9000cp

Solubility(ies):

Water solubility at 20 °C: completely miscible
Partition coefficient: n-octanol/water: see section 12
Vapour pressure at 20 °C: not applicable

Density and/or relative density:

Density at 20 °C: 1,18 g/cm³
Relative vapour density: not applicable particle characteristics: not applicable

9.2. Other information

Solid content: 100 weight-%

solvent content:

Organic solvents: 0 weight-% Water: 0 weight-%

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878

Article No.: 17302036 2-K Epoxid-Grundweiß Basis EPW 1

 Print date:
 17.07.2024
 Revision date: 17.02.2023
 EN

 Version:
 30.1
 Issue date: 17.02.2023
 Page 5 / 8

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenolBPFDGE oral, LD50, Rat: 23800 mg/kg

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane; (epoxy resin MW < 700)

oral, LD50, Rat: > 2000 mg/kg dermal, LD50, Rat: > 1200 mg/kg dermal, LD50, Rabbit: > 2000 mg/kg

Skin corrosion/irritation; Serious eye damage/eye irritation

Causes skin irritation.

Causes serious eye irritation.

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenolBPFDGE Skin (4 h)

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenolBPFDGE Skin:

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP]

Do not allow to enter into surface water or drains.

12.1. Toxicity

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenoIBPFDGE Algae toxicity, ErC50: < 10 mg/L

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane; (epoxy resin MW < 700)

Fish toxicity, LC50: 1,3 mg/L (96 h)

Method: OECD 203

Daphnia toxicity, EC50: 2,1 mg/L (48 h)

Method: OECD 211

Algae toxicity, ErC50: > 11 mg/L (72 h)

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878

Article No.: 17302036 2-K Epoxid-Grundweiß Basis EPW 1

 Print date:
 17.07.2024
 Revision date: 17.02.2023
 EN

 Version:
 30.1
 Issue date: 17.02.2023
 Page 6 / 8

Long-term Ecotoxicity

Toxic to aquatic life with long lasting effects.

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenoIBPFDGE

Fish toxicity, LC50 (96 h) Algae toxicity, ErC50 1 - 10 mg/L

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Dispose of waste according to applicable legislation.

List of proposed waste codes/waste designations in accordance with EWC

080111* Waste paint and varnish containing organic solvents or other dangerous substances

*Hazardous waste according to Directive 2008/98/EC (waste framework directive).

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

14.1. UN number or ID number

UN 3082

14.2. UN proper shipping name

Land transport (ADR/RID): Environmentally hazardous substance, liquid, n.o.s.

(epoxy resin)

Sea transport (IMDG): ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(epoxy resin)

Air transport (ICAO-TI / IATA-DGR): Environmentally hazardous substance, liquid, n.o.s.

(epoxy resin)

14.3. Transport hazard class(es)

9

14.4. Packing group

Ш

14.5. Environmental hazards

Land transport (ADR/RID) UMWELTGEFAEHRDEND

Marine pollutant p / epoxy resin

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878

Article No.: 17302036

2-K Epoxid-Grundweiß Basis EPW 1 Print date: 17.07.2024 Revision date: 17.02.2023

Version: Issue date: 17.02.2023 Page 7 / 8

Further information

Land transport (ADR/RID) Tunnel restriction code

in packages <= 5 kg Kein Gut der Klasse 9

Sea transport (IMDG)

EmS-No. F-A, S-F

in packages <= 5 kg "not restricted 2.10.2.7"

Air transport (ICAO-TI / IATA-DGR)

Not Restricted, as per Special Provision A197 in packages <= 5 kg

14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC - Code.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value (in q/L): 0

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

The product complies with Directives 2002/95/EC (RoHS), 2011/65/EC (ROHS-2I) and adjustment policy 2015/863/EC

The product presumably contains no PAHs, no conflict minerals and no substances listed in BOMcheck Version 4.5 (June2015).

The raw materials of the product are registered / pre-registered in accordance with Directive 1907/2006 / (REACH)

The product does not contain substances in concentrations > 0,1% according to Art. 57 in conjunction with Art. 59 /

Annex XIV 1907 / 2006EG, from 17.01.2022; (SVHC or candidates until 01/2022)

Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

EC No.	Designation					REACH No.	
CAS No.							
216-823-5	2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane;					01-2119456619-26-XXXX	
1675-54-3	(epoxy resin MW < 700)						
701-263-0	Formaldehyde, ol	ligomeric	reaction	products	with	01-2119454392-40-XXXX	
	1-chloro-2,3-epoxypropane and phenoIBPFDGE						

SECTION 16: Other information

Full text of classification in section 3

Skin Irrit. 2 / H315 Skin corrosion/irritation Causes skin irritation. Eye Irrit. 2 / H319 Serious eye damage/eye irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause an allergic skin reaction. Skin Sens. 1B / H317

Hazardous to the aquatic environment Aquatic Chronic 2 / H411 Toxic to aquatic life with long lasting effects.

Respiratory or skin sensitisation Skin Sens. 1 / H317 May cause an allergic skin reaction.

Classification procedure

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP] Skin Irrit. 2 Skin corrosion/irritation Calculation method. Eve Irrit. 2 Serious eve damage/eve irritation Calculation method. Skin Sens. 1 Respiratory or skin sensitisation Calculation method. Aquatic Chronic 2 Hazardous to the aquatic environment Calculation method.

Abbreviations and acronyms

European Agreement concerning the International Carriage of Dangerous Goods by Road ADR

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878

Article No.: 17302036 2-K Epoxid-Grundweiß Basis EPW 1

 Print date:
 17.07.2024
 Revision date: 17.02.2023
 EN

 Version:
 30.1
 Issue date: 17.02.2023
 Page 8 / 8

OEL Occupational Exposure Limit Value

BLV Biological Limit Value
CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging
CMR Carcinogenic, Mutagenic and Reprotoxic

DIN German Institute for Standardization / German industrial standard

DNEL Derived No-Effect Level

EAKV European Waste Catalogue Directive

EC Effective Concentration
EC European Community
EN European Standard

IATA-DGR International Air Transport Association – Dangerous Goods Regulations

IBC Code International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk ICAO-TI International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous

Goods by Air

IMDG Code International Maritime Code for Dangerous Goods ISO International Organization for Standardization

LC Lethal Concentration

LD Lethal Dose

MARPOL Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OECD Organisation for Economic Cooperation and Development

PBT persistent, bioaccumulative, toxic PNEC Predicted No Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

UN United Nations

VOC Volatile Organic Compounds

vPvB very persistent and very bioaccumulative

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.